Form PTO-1449 (REV. 8-83)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. UCAL-246/02/01US

SERIAL NO. 09/637 RECEIVED

(Use several sheet) in necessary)

DEC 0 4 2000

APPLICANT: John D. Baxter, et al.

FILING DATE August 10, 2000

GROUP

1646 TECH CENTER 1600/2908

U.S. PATENT DOCUMENTS

*EVALORE				- COMIDITIO			
*EXAMINE R INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE
CS	P1	4,741,897	5/3/89	Andrews, et al.	436	560	a: 1 1 mm
	P2	4,766,121	8/23/88	Ellis, et al.	514	247	5/3/88
	Р3	4,826,876	5/2/89	Ellis, et al.		+	8/23/88
	P4	4,910,305	3/20/90	Ellis, et al.	514	535	5/2/89
	P5	5,061,798	10/29/91	Emmett, et al.	544	239	3/20/90
	P6	5,116,828	5/26/92	Miura, et al.	544	239	10/29/91
	P7	5,171,671	12/15/92	Evans, et al.	514	171	5/26/92
	P8	5,284,999	2/8/94	Chin, et al.	435	69.1	12/15/92
	P9	5,312,732	5/17/94	Evans	435	252.3	2/8/94
		5,322,933	6/21/94	Davies, et al.	435	69.1	5/17/94
		5,403,925	4/4/95		530	399	6/21/94
	$\overline{}$			Ozato	536	23.5	4/4/95
		5,463,564		DeGroot, et al.	536	23.5	8/1/95
				Agrafiotis et al.	700	768	10/3/195
	1 14 3	,466,861	11/14/95	Dawson, et al.	560	100	11/14/95

FOREIGN PATENT DOCUMENTS

		DOCUMENT	DATE	2017				SLATION
		NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
CS	l Ei	EP 335,628	4/10/89	EP				
	F2	₩Э 9 7/21993	6 /1 9 /97	PCT WIPO			- I	
	F3	WO 98/07435	2/26/98 .	PET WIPO				
	- F4	WO 9 8/579 19	12/23/98	PCT WIPO				

OTHER PUBLICATIONS (including Author, Title, Date, Pertinent Pages, Etc.)

Andrea, T.A., et al., "A Model for Thyroid Hormone-Receptor Interactions", J. Med. Chem., Vol. 22:221-232 DI (1979)D2 Apriletti, J.W., et al., "Expression of the Rat α1 Thyroid Hormone Receptor Ligand Binding Domain in

Escherichia coli and the Use of a Ligand-Induced Conformation Change as a Method for its Purification to Homogeneity", Protein Expression and Purification, Vol.6:363-370 (1995)

			-			
Form PTO-14		U.S. DEPARTMENT OF COMMERCE	ATTY. DOCKET NO.			
(REV. 8-83)		PATENT AND TRADEMARK OFFICE	UCAL-246/02/01US	SERIAL NO. 09/637 132 CEIVED		
	(U:	FORMATION DISCLOSURE SPATSMENT se several sheets () necessary)	NEOLI			
			APPLICANT: John D. Baxter, et al.	OE 7 200		
		DEC 0 4 2000	FILING DATE August 10, 2000	GROUP 1646		
	Po	The second second		TECH CENTER 1600/2900		
CS	D3	Apriletti, J.W., et al. Aprile	of the Nuclear Thyroid Hormon NA", <u>J. Biol.Chem.</u> , <u>Vol.263</u> :94	e Receptor From Rat Liver and 09-9417 (1988)		
	D4	Au-Fliegner, et al., "The Conserved Ninth C-Te Mediates Diverse Responses by Affecting Heter Vol.13:5725-5737 (1993)	rminal Hentad in Thyroid Horm	one and Potincia Asid Posses		
	D5	Baniahmad, A., et al. "The τ4 Activation Domain of the Thyroid Hormone Receptor is Required for Release of Putative Corepressor(s) Necessary for Transcriptional Silencing", Mol.Cell Biol., Vol.15,:76-86 (1995)				
	D6	Barettino, D., et al., "Characterization of the Ligand-dependent Transactivation Domain of Thyroid Hormone Receptor", Embo.J., Vol.13:3039-3049 (1994)				
	D7	Barker, et al., "Thyroxine Antagonism by Partially Iodinated Thyronines and Analogues", Ann.N.Y.Acad.Sci. Vol.86:545-562 (1960)				
	D8	Beck-Peccoz, P., et al., "Nomenclature of Thyro Hormone: Consensus Statement from the First W Cambridge, United Kingdom", J.Clin.Endocrino	Olkshop on Thyroid Hormone I	Recistance Inly 10 11 1002		
	D9	Bhat, M.K., et al., "Interaction of Thyroid Hormone Nuclear Receptor With Antibody: Characterization of the Thyroid Hormone Binding Site", <u>Biochem.Biophys.Res.Commun.</u> , <u>Vol.210</u> :464-471 (1995)				
	D10 Blake, C.C. & Oatley, S.J., "Protein-DNA and Protein-Hormone Interactions in prealbumin: a Model of th Thyroid Hormone Nuclear Receptor?", Nature, Vol.268:115-120 (1977)					
	DH	Blake, C.C., et al., "Structure of Prealbumin: Sec Fourier Refinement at 1 8 A", J.Mol.Biol., Vol.12	ondary Tertiary and Quarternar	y Interactions Determined by		
	D12	Bourguet, W., et al., "Crystal Structure of the Lig Nature, Vol.375:377-382 (1995)		nan Nuclear Receptor RXR-α",		
	D13	Brent, G.A., "The Moledular Basis of Thyroid Ho	ormone Action" N Engl I Med	Vol. 221.947. 952 (1994)		

D14

D15

D16

D18

D19

D20

Embo, J., Vol.14:3741-3751 (1995)

Crystallogr., Vol.D50:760-763 (1994)

Mol.Endocrinol., Vol.8:1262-1277 (1994)

protein," Proc.Natl.Acad.Sci.USA, Vol. 94(17):9040-9045 (1997)

of Errors in These Models", Acta Crystallogr A, Vol.47:110-119 (1991)

Brunger, A.T., et al., "Crystallographic R Factor Refinement by Molecular Dynamics", Science, Vol.235:458-460

Casanova, J., et al., "Functional Evidence for Ligand-Dependent Dissociation of Thyroid Hormone and Retinoic

Cavailles, V. et al., "Nuclear Factor RIP140 Modulates Transcriptional Activation by the Estrogen Receptor",

Chang, K.H., et al., "A Thyroid hormone receptor coactivator negatively regulated by the retinoblastoma

Collaborative Computational Project, N. 4., "The CCP4 Suite: Programs for Protein Crystallography", Acta

Collingwood, T.N., et al., "Spectrum of Transcriptional, Dimerization, and Dominant Negative Properties of

Cowan, S.W., et al., "Improved Methods for Building Protein Models in Electron Density Maps and the Location

Twenty Different Mutant Thyroid Hormone β-Receptors in Thyroid Hormone Resistance Syndrome",

Acid Receptors from an Inhibitory Cellular Factor", Mol.Cell.Biol., Vol.14:5756-5765 (1994)

Form	PTO-1449
T OT III	モナローエチモラ
(REV.	8-83)
	8-831

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. UCAL-246/02/01US SERIAL NO 09/637,13 RECEIVED

APPLICANT:

DEC 0 4 2000 H

INFORMATION DISCLOSURE STREETS (Use several sheets if necessary

John D. Baxter, et al.

FILING DATE

GROUP

		P. C.		August 10, 2000)	GROUP 1646	TECHCENTER 1600/290
() D	21 Cowtan, K.	Joint CCP CANE	SF-FACRM No	welatter on Protein C			
D.	22 Crowe et al,	Cowtan, K., Joint CCP FAMESF-EACBM Newsletter on Protein Crystallography, Vol.31:34-38 (1994) Crowe et al, "6xHis-Ni-NTA Chromatography as a Superior Technique in Recombinant Protein Expression/Purification" Methods in Molecular Biology, Vol.31:371-387 (1994)					
Di	23 Damm, K. &	Damm, K. & Evans, R.M., "Identification of a Domain Required for Oncogenic Activity and Transcription suppression by v-erbA and Thyroid-Hormone receptor α", <u>Proc.Natl.Acad.Sci.USA</u> , <u>Vol.90</u> :10668-10672 (199					
D2	24 Danielian, P	Danielian, P.S., et al., "Identification of a Conserved Region Required for Hormone Dependent Transcription of Steroid Hormone Receptors", Embo.J., Vol.11:1025-1033 (1992)					
D2	25 Dietrich, S.V	V., et al., "Thyroxi	ine Analogues 2	3. Quantitative Struct Chem., Vol.20:863-88	turo. A otivitu. (Correlation	Studies of in Vivo
D2	Durand, B., o Presence of a	et al., "Activation a Conserved Autor	Function 2 (AF-2	2) of Retinoic Acid Retive Activating Domain, Vol.13:5370-5382	eceptor and 9-	cis Retino	ic Acid Receptor: Nature of the
D2				ne Receptor Superfam		Vol.240:8	(89-895 (1988)
D2	8 Fawell, S.E.	et al., "Characteriz gen Receptor", <u>Ce</u>	zation and Coloca	alization of Steroid Bi	nding and Dir	nerization	Activities in the
D29						eptors: The	
D30	Gewirth, D.T					ognate Steroid	
D31	Glass, C.K., "	lass, C.K., "Differential Recognition of Target Genes by Nuclear Receptor Monomers, Dimers, and leterodimers", Enocr.Rev., Vol.15:391-407 (1994)					ers, and
D32	Hajduk et al.,	" Discovering Hig	gh Affinity Ligan	ds for Proteins," Scie	ence, Vol.278:	497-499 (1997)
D33	Hayashi, Y. e Thyroid horm	t al., "Mutations of one Receptor (TR are Unlikely to Pr	f CpG Dinucleot	ides Located in the Tr ppears to be Devoid of al Phenotype of Resis	iiodothyronin	e (T ₃)-Bin	ding Domain of the
D34	Heery, E., et a Nature, Vol.3	ıl., "A signature m 8 <u>7</u> :733-736 (1997)	otif in transcripti	onal co-activators me	diates binding	to nuclea	r receptors,"
D35	Hollenberg, et Depend Upon	Hollenberg, et al., "Ligand-Independent and -Dependent Functions of Thyroid Hormone Receptor Isoforms Depend Upon Their Distinct Amino Termini", <u>J.Biol.Chem.</u> , <u>Vol.270(24)</u> :14274-14280 ((1995)					otor Isoforms
D36	Horwitz, K.B.	, "The Molecular I ocrine Rev., Vol. I	Biology of RU48	6 Is There a Role for	r Antiprogesti	ns in the T	reatment of Breast
D37	Jackson, R.C.,		protein structure	-based drug design to	cancer chemo	otherapy,"	Seminars in
D38	Janknecht R., 'Vaccinia Virus	'Rapid and Efficie '', Proc.Natl.Acad	nt Purification of Sci.USA, Vol.88	f Native Histidine-Tag 3:8972-8976 (1991)	gged Protein E	expressed l	by Recombinant
D39	Jancarik & Kin		Sampling: A Scr	eening Method for Cr	ystallization o	f Proteins	,

Form	PTO-1	449
(REV.	8-83	1)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. UCAL-246/02/01US

RECEIVED

INFORMATION DISCLOSURE TATEMENT (Use several sheets if Secessary)

APPLICANT:

John D. Baxter, et al.

USC 7 2000

DEC 0 4 2000 FILING DATE

FILING DATE GROUP
August 10, 2000 1646

	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		August 10, 2000	1646			
	- W	- 11 CAST		TECH CENTER 1600/2900			
CS D40				lectron Density Maps and the Location of			
D41	Jones, T.R., et al., "Structure-Based Deisgn of Lipophilic Quinazoline Inhibitors of Thymidylate Synthase," <u>J.Med.Chem.</u> , <u>Vol.39(4)</u> :904-917 (1996)						
D42	Jorgenson, "Thyroid (1978)	Jorgenson, "Thyroid Hormones and Analogs in 6 Hormonal Proteins and Peptides" Thyroid Hormones, 150-151 (1978)					
D43	Jorgensen, E.C., "The Proteins, (eds. Li, C.	nyroid Hormones and .H.) 107-204 (Acade	d Analogs. II. Structure-Activity mic Press, New York, 1978)	Relationships" Hormonal Peptides and			
D44	Kabsch, W.J., "Auto	matic Processing of	Rotation Diffraction Data From vstallogr., Vol.26:795-800 (1993	Crystals of Initially Unknown			
D45	Kabsch, W. & Sande	er, C., "Dictionary of	Protein Secondary Structure: Pa Vol.22:2577-2637 (1983)	attern Recognition of Hydrogen-Bonded			
D46	Kakizawa, T., et al., Receptor," J.Biol.Ch	"Ligand-dependent I	Heterodimerization of The	Hormone Receptor and Retinoid X			
D47	Kediel S., et al., "Dif	ferent Agonist-and A		onal Changes in Retinoic Acid Receptors			
D48	Laskowski, R.A., et al., "Procheck: a Program to Check the Stereochemical Quality of Protein Structures", J.Appl.Crystallogr., Vol.26:283-291 (1993)						
D49	Latham, K.R., et al., "Development of Support Matrices for Affinity Chromatography of Thyroid Hormone Receptors", J.Biol.Chem., Vol.256:12088-12093 (1981)						
D50	Laudet, V., "Evolutio	n of the Nuclear Rec	eptor Gene Superfamily" Embo	J., Vol.11:1003-1013 (1992)			
וכשן	LeDouarin, B., et al. "	The N-Terminal Par	t of TIE1 a Data to No. 11	f the Ligand-Dependent Activiation Protein T18", Embo.J., Vol.14:2020-			
D52	Lee, J.W., "Interaction Vol.374:91-94 (1995)	of Thyroid-Hormor	ne Receptor With a Conserved T	anscriptional Mediator", Nature,			
D53	Lee, J.W., et al., "Two Interaction With the T	Classes of Proteins hyroid Hormone Rec	Dependent on Either the Presence ceptor", Molec.Endocrinol., Vol.	ce or Absence of Thyroid Hormone for			
D54	Leeson, P.D., et al., "S Arylmethyl Substituen	elective Thyromime ts", <u>J.Med.Chem.</u> , <u>V</u>	tics. Cardiac-Sparing Thyroid Fol.32:320-336 (1989)	Iormone Analogues Containing 3'-			
D55	Leeson, P.D., et al., "T	hyroid Hormone And	alogues Complete Car C 1	tuted 3,5-Diiodo-L-Thyronines and etic Activities in Rat Liver and Heart",			
D56 I	Leitman, D.C., et al., "] Factor α Gene", <u>J.Biol.</u>	Identification of a Tu Chem., <u>Vol.266</u> :934	umor Necrosis Factor-Responsiv 3 (1991)	e Element in the Tumor Necrosis			
D57 I	eng, X., et al., "Ligan	d-Dependent Confor	motional Charles and the	ormone and Retinoic Acid Receptors ", J.Steroid Biochem. Molec.Biol.,			

Form PTO-1449 DEPARTMENT OF COMMERCE ATTY, DOCKET NO SERIAL NO. (REV. 8-83) PATENT AND TRADEMARK OFFICE UCAL-246/02/01US 09/637,132 INFORMATION DISCLOSURE STATE POR RECEIVED (Use several sheets i APPLICANT: John D. Baxter, et al. DEC 0 4 2000 FILING DATE GROUE August 10, 2000 1646 Leng, X., et al., "Mouse Retinoid X Receptor Contains a Separable Ligand-Binding and Transactivation Domain D58 in its E Region", Mol.and Cellular Biol., Vol. 15:255-263 (1995) Lewis, N. and Wallbank, P., "Formation of Quinol Ethers Using (Diacetoxyiodo) Benzene", Synthesis, 1103 D59 (1987)Lin, B.C., et al., "A Conformatinal Switch in Nuclear Hormone Receptors is Involved in Coupling Hormone D60 Binding to Corepressor Release," Mol.Cell.Biol., Vol.17(10):6131-6138 (1997) D61 Lin, K.H., et al., "An Essential Role of Domain D in the Hormone-Binding Activity of Human β1 Thyroid Hormone Nuclear Receptor", Mol.Endocrinol., Vol.5:485-492 (1991) D62 Lleywegt, G.J. et al., "OOPS-a-daisy" <u>ESF/CCP4 Newsletter</u>, June 30, 1994, pp. 20-24 D63 Luisi, B.F., et al., "Crystallographic Analysis of the Interaction of the Glucocorticoid Receptor with DNA", Nature, Vol.352:497-505 (1991) McGrath et al., "Rapid Preparation of Proteins for Crystallization Tials," Biotechniques, Vol.7:246-247 (1989) **D64** D65 McGrath, M.E., et al., "Preliminary Crystallographic Studies of the Ligand-Binding Domain of the Thyroid Hormone Receptor Complexed With Triiodothyronine", J.Mol.Biol., Vol.237:236-239 (1994) McRee et al., Practical Protein Crystallography, Academic Press, N.Y., Chapters 1,2 and 3 (1993) D66 Meier, C.A., et al., "Variable Transcriptional Activity and Ligand Binding of Mutant β1 3,5,3'-Triiodothyronine **D67** Receptors From Four Families With Generalized Resistance to Thyroid Hormone", Mol. Endocrinol., Vol. 6:248-258 (1992) Monaco, Hugo et al., "Structure of a Complex of Two Plasma Proteins: Transthyretin and Retinol-Binding D68 Protein", Science, Vol.268:1039-1041 (1995) Murshudov, et al., "Application of Maximum Likelihood Methods for Macromolecular Refinements," D69 Refinement of Protein Structures, Proceedings of Daresbury Study Weekend, pp. 1-12 (1996) Navaza, J., "AMoRe: an Automated Package for Molecular Replacement", Acta Crytallographica Section A-D70 Funamentals of Crystallography, Vol.50:157-63 (1994) Nicholls, A., et al., "Protein Folding and Association: Insights From the Interfacial and Thermodynamic D71 Properties of Hydrocarbons", Proteins, Vol. 11:281-296 (1991) O'Donnell, A.L. et al. "Thyroid Hormone Receptor Mutations That Interfere With Transcriptional Activation D72 Also Interfere With Receptor", Mol.Endocrinol., Vol.5:94-99 (1991) **D73** Onate, S.A., et al. "Sequence and Characterization of a Coactivator for the Steroid Hormone Receptor Supertamily", <u>Science</u>, <u>Vol.270</u>:1354-1357 11995 D74 Otwinoski, Z., "Oscillation Data Reduction Program", Proceedings of the CCP4 Study Weekend: Data Collection and Processing, 56-62 (1993) Otwinoski, Z., "Maximum Likelihood Refinement of Heavy Atom Parameters", Proceedings of the CCP4 Study <u>Weeken</u>d:80-86 (1991) Rastinejad, R., et al., "Structural Determinants of Nuclear Receptor Assembly on DNA Direct Repeats", Nature, D76 <u>Vol.375</u>:203-211 (1995)

Raynaud J.P. et al., "The Design and use of Sex-Steroid Antagonist", <u>J.Steroid Biochem.</u>, <u>Vol.25</u>:811-833 (1986)

Form PTO-1449 (REV. 8-83)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

DEC 0 4 2000

ATTY. DOCKET NO UCAL-246/02/01US

SERIAL NO. 09/637,1**RECEIVED**

INFORMATION DISCLOSURE STATEMENT P (Use several sheets if necessary)

APPLICANT:

John D. Baxter, et al.

FILING DATE August 10, 2000

GROUP

		August 10, 2000 1646 TECH CENTER 1600/290					
cs ·	D78	- 17 A					
	D79	Ribeiro, R.C.J., et al., "The Molecular Biology of Thyroid Hormone Action", <u>Ann.N.Y.Acad.Sci.</u> , <u>Vol.758</u> :366-389 (1995)					
	D80	Ribeiro, R.C.J., et al., "Thyroid Hormone Alters in Vitro DNA Binding of Monomers and Dimers of Thyroid Hormone Receptors", Mol.Endocrinol., Vol.6:1142-1152 (1992)					
	D81	Ribeiro, R.C.J., et al., "The Nuclear Hormone Receptor Gene Superfamily", <u>Annu.Rev.Med.</u> , <u>Vol.46</u> :443-53 (1995)					
	D82	Robsseau, G.G., et al., "Glucocorticoid Receptors: Relations Between Steroid Binding and Biological Effects", J.Mol.Biol., Vol.67:99-115 (1972)					
	D83	Saatcioglu, F., et al., "A Conserved C-Terminal Sequence That is Deleted in v-ErbA is Essential for the Biological Activities of c-ErbA (the Thyroid Hormone Receptor)", Mol.Cell Biol., Vol.13:3675-3685 (1993)					
	D84	Schwabe, J.W., et al., "The Cyrstal Structure of the Estrogen Receptor DNA-Binding Domain Bound to DNA: How Receptors Discriminate Between Their Response Elements", Cell, Vol.75:567-578 (1993)					
	D85	Seielstad, et al., "Molecular Characterization by Mass Spectrometry of the Human Estrogen Receptor Ligand-Binding Domain Expresses in <i>Escherichia coli</i> ", Molecular Endocrinolgy, Vol.9:647-658 (1995)					
	D86	Selmi, S. & Samuels, H.H., "Thyroid Hormone Receptor/and v-erbA", <u>J.Biol.Chem.</u> , <u>Vol.266</u> :11589-11593 (1991)					
	D87	Shibata, H., et al., "Role of Co-activators and Co-repressors in the Mechanism of Steroid/Thyroid Receptor Action," Recent Progress in Hormone Res., Vol.52:141-164 (1997)					
	D88	Stephan et al., "Reduction of Cardiovascular and Thyroxine-Suppressing Activities of L-T ₃ by Liver Targeting with Cholic Acid," <u>Biochem.Pharmacol.</u> Vol.13:1969-1974 (1992)					
<u> </u>	D89	waffield, J.C., et al., "A Highly Conserved ATPase Protein as a Mediator Between Acidic Activation Domains and the TATA-Binding Protein", Nature, Vol.374:88-91 (1995)					
	D90	Tagami, T., et al., "Nuclear Receptor Corepressors Activate Rather than Suppress Basal Transcription of Genes that are Negatively Regulated by Thyroid Hormone," Mol.Cell.Biol., Vol.17(5):2642-2648 (1997)					
		Toney, J.H., et al., "Conformational Changes in Chicken Thyroid Hormone Receptor α1 Induced by Binding to Ligand or to DNA", <u>Biochemistry</u> , <u>Vol.32</u> :2-6 (1993)					
	D92	Tsai, M.J. & O'Malley, B.W., "Molecular Mechanisms of Action of Steroid/Thyroid Receptor Superfamily Members", Annu.Rev.Biochem., Vol.63:451-486 (1994)					
	D93	Wagner, et al., "A Structural Role for Hormone in the Thyroid Hormone Receptor", Nature, Vol.378(6558):670-697 (1995)					
	D94	Westerfield, W.W., et al., "New Assay Procedure for Thyroxine Analogs", Endocrinolgoy, Vol.77:802 (1965)					
	D95	Yokoyama et al., "Synthesis and Structure-Activity Relationships of Oxamic Acid and Acetic Acid Derivatives Related to L-Thyronine", <u>J.Med.Chem.</u> , <u>Vol.38</u> :695-707 (1995)					
	D96	Zenkie, M., et al., "v-erbA Oncogene Activation Entails the Loss of Hormone-Dependent Regulator Activity of c-erbA", Cell, Vol.61:1035-1049 (1990)					
\bigcup	D97	Zhu, XG., et al., "The Differential Hormone-dependent Transcriptional Activation of Thyroid Hormone Receptor Isoforms is Mediated by Interplay of their Domains," J.Biol.Chem., Vol.272(14):9048-9054 (1997)					

Form PTO-1	440			Dro-
(REV. 8-83)		U.S. DELARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. UCAL-246/02/01US	SERIAL NO.
INFOR (Use s		FORMATION DISCLOSURE STATEMENT F		09/637, 132 QEC 7 ZATA
		(DEC 0 4 2000 周	APPLICANT: John D. Baxter, et al. FILING DATE	GROUP TECH CENTER 1600/2
			August 10, 2000	1646
CS	D98	Bolger et al., "Molecular Interactions between T Journal of Biological Chemistry, 255(21):10271	Thyroid Hormone Analogs and the 1-10278, (1980)	e Rat Liver Nuclear Receptor,"
	D99	Chiellini et al., "A High-Affinity Subtype-Selec Biology, 5(6):299-306, (1998)	tive Agonist for the Thyroid Hor	mone Receptor," Chemistry and
	D100	Jorgenson et al., "The Nature of the Thyroid Ho	rmone Receptor," Thyroid Resea	rch, 378:303-306. (1976)
V	D101	ystallographic and Functional		
XAMINER	Ta.	de SI	DATE CONSIDERED	4/02

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformation and not considered. Include a copy of this form with the next communication to applicant.